Material Safety Data Sheet



May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be Consulted for specific requirements.

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY: PC-201 Flame Retardant Coating

Section I -PC201

Manufacturer's Name FireTect	Emergency Telephone Number: (661) 295-3473		
Address: 28298 Constellation Road Valencia, CA 91355	Telephone Number for Information: (661) 295-3473		
	Date Prepared: 01-10-95 Reviewed: 12-2012		

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL None	ACGIH TLV None	Other Limits Recommended None	%(optional)	
FireTect PC201 Flame retardant coating	21.8% Inorganic Phosphates				
Non-Hazardous coating water based late	18.4 % modified polyvinylidene chloride copolymer				
VOC: 47 Grams per liter	3.4% sodium salt aromatic sulfonate				
NON-HAZARDOUS, NON FLAMMABLE,	41.9% liquid vehicle				
NFPA: Hazardous 0, Flammability 0 Rea					

Section III - Physical/Chemical Characteristics

Boiling Point	212°f	Specific Gravity (H ₂ O = 1)	1.08	
Vapor Pressure (mm Hg.)	None	Melting Point	None	
Vapor Density (AIR = 1)	Equal to water	Evaporation Rate (Butyl Acetate = 1)	Less than water	
Solubility in Water: Complete - dilutable in water				
Appearance and Odor: off white liquid, or special requested color – such as Olive Drab				

Section IV - Fire and Explosion Hazard Data

,	Flammable Limit: None	LEL: None	UEL: None			
Extinguishing Media: For dry solids use water foam CO ₂ or dry chemical fire fighting apparatus						
Special Fire Fighting Procedures: Closed container exposed to heat may rupture due to pressure build up						
Unusual Fire and Explosion Hazards:						

Section V - Reactivity Data

Stability	Stable	X	Conditions to Avoid: None			
Incompatibility (Materials to Avoid): None						
Hazardous Decomposition or Byproducts:						
Hazardous	Polymerization	n Will	Not Occur	X	Conditions to Avoid: None	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation Yes	Skin Ye	s	Ingestion Unlikely	/	
Health Hazards (Acute and Chronic): Inhalation: Overexposure may cause irritation. If not breathing give artificial respiration seek medical attention. Skin Contact: cleanse affected areas with mild soap and water. If irritation develops, seek medical attention. Ingestion: if drowsy or unconscious, place victim on left side with head down. Do not give anything by mouth; seek medical attention.						
Carcinogenicity: nor	Carcinogenicity: none according to Ames Test NTP? IARC Monographs? OSHA Regulated?					
Signs and Symptoms of Exposure: Local Irritation						
Medical Conditions Generally aggravated by Exposure: If irritation or redness develops from exposure move victim away from source and into fresh air. Seek medical attention.						
Emergency and First Aid Procedures: If swallowed, induce vomiting, seek medical attention. In case of eye contact, flush with running water for at least 15 minutes. If irritation persists, seek advice of a						

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Flush spilled material into suitable retaining areas or containers with large quantities of water. Small amounts may be absorbed into appropriate absorbent.

Waste Disposal Method: Dispose of product in accordance with applicable local, county, state and federal regulation.

Precautions to Be taken in Handling and Storing: Keep containers in cool, dry area. Use and store with adequate ventilation.

Other Precautions: Storage should not exceed 80° or fall below 40°. Do not allow to freeze. Once opened, contents should be used completely.

Section VIII - Control Measure

physician.

Respiratory Protection (Specify Type): Not mandatory.				
Ventilation Local Exhaust:		Special		
Mechanical (General)		Other		
Protective Gloves impermeable to pro	s: use of gloves that are oduct is advised	Eye Protection: approved eye protection to protect against eye contact or irritation is recommended		
Other Protective Clothing or Equipment				
Work/Hygienic Pravailable for flushi		nilk soap & water; it is recommended that clean water be		